

Russet Burbank


Maincrop

(Seedling of Early Rose)



Consumer quality

Maincrop maturity with moderate yields. Medium to high dry matter with good fry colour. Predominantly grown in Europe as a processing variety, also used for the fresh market in North America.



Agronomic features

High resistance to Common scab.

Tuber characteristics

| | |
|----------------------|-----------|
| Market Sector | FF |
| Maturity | 4 |
| Colour of skin | C |
| Colour of flesh | W |

| | |
|--------------------|---|
| Shape of tuber | L |
| Depth of eyes | 7 |
| Smoothness of skin | R |

Resistance to damage, pests and diseases

| | |
|---------------------|---|
| Foliage blight | 3 |
| Tuber blight | 1 |
| Blackleg | - |
| Common scab | 8 |
| Powdery scab | - |
| G.Pallida Pa 2/3,1 | 2 |
| G.Rostochiensis Ro1 | 2 |
| Leafroll | 2 |

| | |
|----------------------------------|---|
| Virus Y | 4 |
| Skin Spot | - |
| Dry Rot (<i>F. coeruleum</i>) | - |
| Dry Rot (<i>F. sulphureum</i>) | - |
| Silver Scurf | - |
| Bruising | 4 |
| Splitting | 2 |